


H48-6

Thermal Pad




Features

- Very good thermal conductivity
- Soft and high compressibility
- Natural tack
- Easy to assemble
- Very good insulator

Applications

- Products of server, IPC
- Electronic components: IC, CPU, MOS, LED, M/B, P/S, Heat Sink, Mother Board, Power Supply, Heat Sink, LCD-TV, LCD-TV, Notebook, PC, Telecom Device, Wireless Hub, DDR II Module, DVD Applications, Hand-set Applications etc.


Thermal Resistance VS. Pressure VS. Deflection



Pressure (psi)	R(°C-in ² /W)	Deflection(%)
10	0.88	6
30	0.82	13
50	0.78	17

Properties ◆ REACH Compliant ◆ RoHS Compliant ◆ UL Compliant

Thermal Conductivity: 3.2W/m.K



Hardness: 30 (Shore A)




Testing sample thickness: 1.0mm


In "Thermal resistance V.S. Pressure V.S. Deflection" chart, H48-6 provides low thermal impedance. The pressure gets higher, the thermal impedance gets lower, and deflection percentage gets higher. H48-6 provides good compliance and softness.

Properties	H48-6	Unit	Tolerance	Test Method
Thermal Conductivity	3.2	W / mK	±0.3	ASTM D5470
Color	Dark Gray	-	-	Visual
Thickness	0.3~20	mm	-	ASTM D374
(the thickness can be ordered)	0.0118~0.787	inch	-	ASTM D374
Flame Rating	V-0	-	-	UL 94
Dielectric Breakdown Voltage	2	KV / mm	±0.2	ASTM D149
Weight Loss	<1	%	-	ASTM E595
Density	2.42	g / cm ³	±0.2	ASTM D792
Working Temperature	-40~+200	°C	-	-
Volume Resistance	>10 ¹¹	Ohm-m	-	ASTM D257
Elongation	130	%	-	ASTM D412
Tensile Strength	8	Kgf / cm ²	-	ASTM D412
Standard Shape	Sheet ones	-	-	-
Hardness	30	Shore A	±10	ASTM D2240

Need samples?



Available to apply adhesive



Pre-cut for different shapes

1. Choose the P/N
2. Fill into size: X, Y, Z
3. Apply the adhesive or not? 0=none, 1A=one side, 2A=two sides
4. Fill the quantity you need

T-Global Technology Co., Ltd

No. 33, Ln. 50, Daren Rd., Taoyuan Dist, Taoyuan City 33068, Taiwan

TEL: +886-3-3618899

www.tglobalthermal.com

FAX: +886-3-3665666

www.tglobal.com.tw

Thermal Interface Materials: Thermal Pad, Thermal Tape, Thermal Grease, Ceramic Heat Spreader



Version4 20170701