


L37-3F

Thermal Pad




Features

- Made of silicone, thermal conductive particles, fiberglass
- Low elongation
- Electrical insulation
- Easy to assemble

Applications

- High voltage application
- Electronic components: IC, CPU, MOS, LED, M/B, P/S, Heat Sink, LCD-TV, Notebook PC, PC, Telecom Device, Wireless Hub.....etc
- DDR II Module, DVD Applications, Hand-set applications.....etc

Thermal Resistance VS. Pressure VS. Deflection



Pressure (psi)	R(°C-in ² /W)	Deflection(%)
10	1.11	2
30	0.91	3
50	0.76	4

Properties

- ✓ REACH Compliant
- ✓ RoHS Compliant
- ✓ UL Compliant

Thermal Conductivity: 1.4 W/m.K

Hardness: 90 (Shore A)

Testing sample thickness: 0.3mm


In "Thermal resistance V.S. Pressure V.S. Deflection" chart, L37-3F provides low thermal impedance. The pressure gets higher, the thermal impedance gets lower, and deflection percentage gets higher. L37-3F provides good compliance and softness.

Properties	L37-3F	Unit	Tolerance	Test Method
Thermal Conductivity	1.4	W / mK	±0.14	ASTM D5470
Thickness	0.25/0.3/0.45	mm	-	ASTM D374
(the thickness can be ordered)	0.0098/0.0118/0.0177	inch	-	ASTM D374
Color	Yellow	-	-	Visual
Flame Rating	V-0	-	-	UL 94
Dielectric Breakdown Voltage	3/4/5	KV	±0.3/±0.4/±0.5	ASTM D149
Weight Loss	<1	%	-	ASTM E595
Specific Gravity	2	g / cm ³	±0.2	ASTM D792
Working Temperature	-40~+200	°C	-	-
Volume Resistance	>10 ¹³	Ohm-cm	-	ASTM D257
Elongation	5	%	-	ASTM D412
Tensile Strength	150	Kgf / cm ²	-	ASTM D412
Standard Shape	Sheet ones	-	-	-
Hardness	90	Shore A	±3	ASTM D2240

Need samples?

Available to apply adhesive

Pre-cut for different shapes



1. Choose the P/N
2. Fill into size: x, y, z
3. Apply the adhesive or not? 0= none, 1A=one side, 2A=two sides
4. Fill the quantity you need

T-Global Technology Co., Ltd

No. 33, Ln. 50, Daren Rd., Taoyuan Dist., Taoyuan City 330, Taiwan

TEL: +886-3-3618899

FAX: +886-3-3665666

www.tglobalthermal.com

www.tglobal.com.tw

Thermal Interface Materials: Thermal Pad, Thermal Tape, Thermal Grease, Ceramic Heat Spreader

